



# Material Safety Data Sheet

## 1. Chemical Product and Company Identification

DESCRIPTION: ELMER'S PROBOND CONCRETE BONDER  
 PRODUCT TYPE: PVAC BASED ADHESIVE  
 APPLICATION: E862, E863.

### • Manufacturer/Supplier Information

MSDS Prepared by:  
 Elmer's Products, Inc.  
 1000 Kingsmill Parkway  
 Columbus, OH 43229  
 For additional health, safety or regulatory information, call 614-225-7689.  
 Call 1-800-848-9400 to place an order or request additional MSDSs.

Emergency Phone Number  
 Poison Control Center  
 1-800-228-5635 ext 22

## 2. Composition, Information on Ingredients

No hazardous ingredients known to Borden.

## 3. Hazards Identification

### 3.1 Emergency Overview

Appearance	Light gray liquid
Odor	Mild acetic aroma
Not a significant fire hazard.	

### • HMIS Rating

HEALTH = 1 (slight)  
 FLAMMABILITY = 0 (minimal)  
 REACTIVITY = 0 (minimal)

### 3.2 Potential Health Effects

## • Immediate Hazards

INGESTION: Not expected to be harmful under normal conditions of use.  
INHALATION: Not expected to be harmful under normal conditions of use. However, if allowed to become airborne, may cause irritation of nose, throat and lungs.  
SKIN: May cause irritation on prolonged or repeated contact.  
EYES: May cause irritation on prolonged or repeated contact.

---

## • Delayed Hazards

None of the components present in this product at concentrations equal to or greater than 0.1% have been listed by NTP, classified by IARC, nor regulated by OSHA as a carcinogen.

---

## 4. First Aid Measures

INGESTION: If accidentally swallowed, dilute by drinking large quantities of water. Immediately contact poison control center or hospital emergency room for any other additional treatment directions.  
INHALATION: Remove to fresh air.  
SKIN: In case of irritation, flush with water.  
EYES: Immediately flush eyes with plenty of water. Call a physician if irritation persists.

---

## 5. Fire Fighting Measures

Autoignition Temperature Not available  
Upper/Lower Flammable Limits Not applicable  
Up/Lower Explosive Limits, % by Vol Not applicable  
Flash Point Not applicable  
Will not burn unless water has evaporated. Dried material may burn.  
In case of fire, water should be used to keep fire-exposed containers cool.

---

## 6. Accidental Release Measures

Soak up with absorbent material and remove to a chemical disposal area. Prevent entry into natural bodies of water.

---

## 7. Handling and Storage

---

### 7.1 Handling

Handle in accordance with good industrial hygiene and safety practices.  
INHALATION: Avoid prolonged or repeated breathing of vapor.  
SKIN: Avoid prolonged or repeated contact with skin and clothing.  
EYES: Avoid prolonged or repeated contact with eyes.

---

## 7.2 Storage

Keep from freezing.  
Store in a cool, dry place.  
Keep containers tightly closed.

---

## 8. Exposure Controls/Personal Protection

---

### 8.1 Exposure Controls

If airborne contaminants are generated when the material is heated or handled, sufficient ventilation in volume and air flow patterns should be provided to keep air contaminant concentration levels below acceptable criteria.

---

### 8.2 Personal Protection

Where air contaminants can exceed acceptable criteria, use NIOSH/MSHA approved respiratory protection equipment. Respirators should be selected based on the form and concentration of contaminants in air in accordance with OSHA laws and regulations or other applicable standards or guidelines, including ANSI standards regarding respiratory protection. Use goggles if contact is likely. Wear impervious gloves as required to prevent skin contact.

---

### 8.3 Exposure Guidelines

None established

---

## 9. Physical and Chemical Properties

Percent Volatiles	45.5
pH @ 25 C	4.6
Specific Gravity	1.1
Appearance	Light gray liquid
Autoignition Temperature	Not available
Boiling Point	100 deg C
Vapor Density (Air=1)	< 1
Vapor Pressure, mm Hg @ 20 C	17.5
Evaporation Rate (Butyl Acetate=1)	< 1
Upper/Lower Flammable Limits	Not applicable
Up/Lower Explosive Limits, % by Vol	Not applicable
Flash Point	Not applicable
Freezing Point	0 deg C
Odor	Mild acetic aroma
Odor Threshold, ppm	Not available
Solubility in Water	Dispersible
Coefficient of Water/Oil Distrib.	Not available

---

## 10. Stability and Reactivity

Normally stable as defined in NFPA 704-12(4-3.1).

---

- **Incompatibilities:**

Strong acids and alkaline materials.

---

- **Decomposition products may include:**

CO, CO2.

---

- **Hazardous polymerization:**

Will not occur.

---

- **Other Hazards:**

None known to Borden.

---

## 11. Toxicological Information

See Section 3 Hazards Identification information.

---

## 12. Ecological Information

Not determined.

---

## 13. Disposal Considerations

Recover free liquid. Absorb residue and dispose of according to local, state/provincial, and federal requirements.

---

## 14. Transport Information

---

### 14.1 U.S. Department of Transportation (DOT)

The data provided in this section is for information only and may not be specific to your package size. You will need to apply the appropriate regulations to properly classify your shipment for transportation.  
Non-Regulated.

---

### 14.2 Canadian Transportation of Dangerous Goods (TDG)

Not determined.



- **National Pollutant Release Inventory (NPRI)**

This product contains the following chemical(s) subject to the reporting requirements of the Canadian Environmental Protection Act (CEPA) subsection 16(1), National Pollutant Release Inventory. None required.

---

## 16. Other Information

---

- **User's Responsibility**

The OSHA Hazard Communication Standard 29CFR 1910.1200 and the Workplace Hazardous Materials Information System (WHMIS) require that the information contained on these sheets be made available to your workers. Educate and train your workers regarding OSHA and WHMIS precautions. Instruct your workers to handle this product properly. Consult with appropriate experts to guard against hazards associated with use of this product and its ingredients.

---

- **Disclaimer**

SELLER MAKES NO WARRANTY, EXPRESS OR IMPLIED, CONCERNING THE PRODUCT OR THE MERCHANTABILITY OR FITNESS THEREOF FOR ANY PURPOSE, except that the product shall conform to contracted specifications, and that the product does not infringe any valid United States or Canadian patent. No claim of any kind shall be greater in amount than the purchase price of the quantity of product in respect of which damages are claimed. In no event shall Seller be liable for incidental or consequential damages, whether Buyer's claim is based on contract, breach of warranty, negligence or otherwise.

---

CUR ISSUE 12-NOV-97  
PREVIOUS ISSUE: 00-XXX-00