

1-116

COURTAULDS COATINGS INC. INTERNATIONAL -- INTERNATIONAL THINNER GTA007 --
8010-01-272-4050

===== Product Identification =====

Product ID:INTERNATIONAL THINNER GTA007
MSDS Date:05/19/1997
FSC:8010
NIIN:01-272-4050
Status Code:A
MSDS Number: CLKMZ
=== Responsible Party ===
Company Name:COURTAULDS COATINGS INC. INTERNATIONAL
Address:6001 ANTOINE DRIVE
City:HOUSTON
State:TX
ZIP:77091
Country:US
Info Phone Num:713-684-1563
Emergency Phone Num:800-854-6813
Preparer's Name:ERNEST CARTER
Chemtrec Ind/Phone:(800)424-9300
CAGE:028S6

=== Contractor Identification ===
Company Name:INTERNATIONAL PAINT INC
Address:6001 ANTOINE DRIVE
Box:City:HOUSTON
State:TX
ZIP:77091
Country:US
Phone:713-684-1244
CAGE:028S6

===== Composition/Information on Ingredients =====

Ingred Name:XYLENE, MIXTURE OF ISOMERS
CAS:1330-20-7
Code:F
RTECS #:ZE2100000
Minimum % Wt:50.
Maximum % Wt:100.
ACGIH TLV:434 MG/M3;100 PPM
ACGIH STEL:651 MG/M3;150 PPM

Ingred Name:ETHYLBENZENE
CAS:100-41-4
RTECS #:DA0700000
Minimum % Wt:10.
Maximum % Wt:25.
OSHA PEL:435 MG/M3;100 PPM
ACGIH TLV:434 MG/M3;100 PPM
ACGIH STEL:543 MG/M3;125 PPM
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:TOLUENE
CAS:108-88-3
RTECS #:XS5250000
Minimum % Wt:1.

Maxumum % Wt:10.
OSHA PEL:SEE TABLE Z-2
ACGIH TLV:188 MG/M3;50 PPM
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Health Hazards Acute and Chronic:INHALATION: VAPOR MAY AFFECT THE BRAIN
OR NERVOUS SYSTEM CAUSING DIZZINESS, HEADACHE OR NAUSEA. CAUSES
NOSE AND THROAT IRRITATION. EYE CONTACT: CAUSES EYE IRRITATION.
SKIN CONTACT: CAUSES SKIN IRRITAT ION. INGESTION: MAY BE FATAL IF
SWALLOWED AND MAY CAUSE ORGAN DAMAGE.

=====
First Aid Measures
=====

First Aid:INHALATION: REMOVE TO FRESH AIR. EYE CONTACT: FLUSH WITH
PLENTY OF WATER FOR 15 MINUTES UNTIL IRRITATION PERSISTS. SKIN
CONTACT: FLUSH WITH LARGE AMOUNTS OF WATER. INGESTION: IF
SWALLOWED DO NOT IN DUCE VOMITING. KEEP AT REST. GET PROMPT
MEDICAL ATTENTION.

=====
Fire Fighting Measures
=====

Flash Point Method:CALC
Flash Point:=25.6C, 78.F
Autoignition Temp:Autoignition Temp Text:NONE
Lower Limits:1
Upper Limits:NONE
Extinguishing Media:FOAM, CARBON DIOXIDE, DRY CHEMICAL.
Unusual Fire/Explosion Hazard:CLOSED CONTAINERS MAY EXPLODE WHEN
EXPOSED TO EXTREME HEAT.

=====
Accidental Release Measures
=====

Spill Release Procedures:ABSORB SPILL WITH AN INERT MATERIAL THEN PLACE
IN A CHEMICAL WASTE CONTAINER.

=====
Handling and Storage
=====

Handling and Storage Precautions:KEEP CONTAINER CLOSED. STORE IN A
COOL, WELL VENTILATED PLACE.FOLLOW ALL MSDS/LABEL WARNINGS, EVEN
AFTER THE CONTAINER IS EMPTIED.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:RESPIRATOR: USEA RESPIRATOR.
Ventilation:PROVIDE SUFFICIENT VENTILATION.
Protective Gloves:WEAR CHEMICAL RESISTANT GLOVES.
Eye Protection:SAFETY GLASSES, CHEMICAL GOGGLES AND/OR A FACE SHIELD
SHOULD BE WORN.
Supplemental Safety and Health

=====
Physical/Chemical Properties
=====

Boiling Pt:=137.2C, 279.F
Melt/Freeze Pt:M.P/F.P Text:NONE
Decomp Temp:Decomp Text:NONE
Vapor Density:HEAVIER

Spec Gravity:.868
Evaporation Rate & Reference:SLOWER/ETHER
Appearance and Odor:LIQUID

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS.
Stability Condition to Avoid:STRONG OXIDIZING AGENTS
Hazardous Decomposition Products:CARBON DIOXIDE AND CARBON MONOXIDE.
Conditions to Avoid Polymerization:WILL NOT OCCUR.

===== Toxicological Information =====

Toxicological Information:REPORTS HAVE ASSOCIATED REPEATED AND
PROLONGED OCCUPATIONAL OVEREXPOSURE TO SOLVENTS WITH PERMANENT
BRAIN AND NERVOUS SYSTEM DAMAGE.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND
FEDERAL REGULATIONS.

===== Other Information =====

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.